(Use second sheets if necessary) JAN 2 9 2002 &

DOCUMENT NUMBER

3,812,457



nber (Optional) 2000.010 Application Number 09/973,529

Hans Thomann, et al. Filing Date

10/9/01

U.S. PATENT DOCUMENTS				6-16-03		
	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
	5/21/74	Weller	340	15.5		
	1/11/77	Bailey	340	15.5		
	3/20/79	Silverman	181	106		
	6/10/80	Klaveness	367	36		
	7/17/84	Katz	181	102		
	1/5/88	Staron, et al.	367	40		
	5/9/89	Rector	367	82		
	7/10/00	777' 1	267	20		

\	- 1				1	l i
	A2	4,003,017	1/11/77	Bailey	340	15.5
	A3	4,144,949	3/20/79	Silverman	181	106
	A4	4,207,619	6/10/80	Klaveness	367	36
	A5	4,460,059	7/17/84	Katz	181	102
	A6	4,718,048	1/5/88	Staron, et al.	367	40
	A7	4,829,489	5/9/89	Rector	367	82
	A8	4,849,945	7/18/89	Widrow	367	30
	A9	4,862,423	08/29/89	Rector	367	25
	A10	4,873,675	10/10/89	Barr, Jr., et al.	367	57
	A11	4,954,998	09/04/90	Rector	367	82
	A12	4,965,774		Ng, et al.	367	75
	A13	5,012,453	04/30/91	Katz	367	57
	A14	5,109,946	05/05/92	Sorrells	181	106
	A15	5,109,947	05/05/92	Rector, N.O.	181	106
	A16	5,144,589	09/01/92	Hardage	367	25
	A17	5,144,591	09/01/92	Hardage	367	75
	A18	5,191,557	03/02/93	Rector, et al.	367	41
	A19	5,233,567	08/03/93	Calvert	367	27
	A20	5,305,285	04/19/94	Naville, et al.	Q367	49
	A21	5,372,207	12/13/94	Naville, et al.	1750	1
	A22	5,438,170	08/01/95	Klaveness	181	106
	A23	5,511,038	04/23/96	Angeleri, et al.	367	×C40
	A24	5,585,556	12/17/96	Petersen, et al.	73	152:03
	A25	5,758,539	06/02/98	Naville, et al.	73	152.03
		5,798,488	08/25/98	Beresford, et al.	181	102
	A26	3,790,400		·		

*EXAMINE

R INITIAL

REF

A1

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-A820

Copyright 1994-97 LegalStar

PO9A/REV03

Patent and T

FORM PTO-A820 (also form PTO-1449)

Patent and Trademark Office* U.S. Department of Commerce SHEET 1 OF 6

INFORMATION CLOSURE CITATION (Use several sheets if necessary)

mber (Optional) 2000.010

Application Number 09/973,529

Hans Thomann, et al. 10/9/01

Filing Date

Group Art Unit

JAN 2 9 2002 &

U.S. PATENT DOCUMENTS

		(A)					
*EXAMINER INITIAL	REF	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	A28	5,835,883	11/10/98	Neff, et al.	702	7	
	A29	5,936,913	08/10/99	Gill, et al.	367	25	
	A30	6,176,323	01/23/01	Weirich, et al.	175	40	
	A31	6,206,108	3/27/01	MacDonald, et al.	175	24	
	A32	6,023,444	2/8/00	Naville	367	82	
	A33	6,262,941	7/17/01	Naville	367	82	

OTHER DOCUMENTS and add

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
B1	Best, A.I., "The effect of Pressure on Ultrasonic Velocity and Attenuation in Near-Surface Sedimentary Rocks", Geophysical Prospecting, vol. 45, pp. 345-364, 1997.
B2	Best, A.I., McCann, C., and Sothcott, J., "The Relationships Between the Velocities, Attenuations and Petrophysical Properties of Reservoir Sedimentary Rocks", Geophysical Prospecting, vol. 42, pp. 151-178, 1994.
В3	Bowers, G.L., Pore Pressure Estimation from Velocity Data: Accounting for Overpressure Mechanisms Besides Undercompaction, 1994 IADC/SPE Drilling Conference, Dallas, Texas SPE 27488, pp. 515-530, 1994
B4	Cadoret, T., Mavko, G., and Zinszher, B., "Fluid Distribution Effect on Sonic Attenuation in Partially Saturated Limestones," Geophysics, vol. 63, no. 1, pp. 154-160, February 1998.
B5	Christensen, N.I., and Wang, H.F., "The Influence of Pore Pressure and Confining Pressure on Dynamic Elastic Properties of Berea Sandstone," Geophysics, vol. 50, no. 2, pp. 207-213, February 1985.
В6	Dunn, K.J., "Acoustic Attenuation in Fluid-Saturated Porous Cylinders at Low Frequencies," J. Acoust. Soc. Am., vol. 79, no. 6, pp. 1709-1721, June 1986.
В7	Dunn, K.J., "Sample Boundary Effect in Acoustic Attenuation of Fluid-Saturated Porous Cylinders", J. Acoust. Soc. Am., vol. 81, no. 5, pp. 1259-1266, May 1987.
В8	Dvorkin, J. Nolen-Hoeksema, R., and Nur, A., The Squirt-Flow Mechanism: Macroscopic Description", Geophysics, vol. 59, no. 3, pp. 428-438, March 1994.
В9	Dvorkin, J., and Nur, A., "Dynamic Poroelasticity: A Unified Model with the Squirt and the Biot Mechanisms", Geophysics, vol. 58, no. 4, pp. 524-533, April 1993.
B10	Dvorkin, J., Mavko, G., and Nur, A., "Squirt Flow in Fully Saturated Rocks," Geophysics, vol. 60, no. 1, pp. 97-107, January-February 1995.
B11	Esmersoy, C., et al., "Acoustic Imaging of Reservoir Structure from a Horizontal Well", The Leading Edge, pp. 940-946, July 1998.
B12	Goldberg, D., and Zinszner, B., "P-wave attenuation Measurements from Laboratory Resonance and Sonic Waveform Data", Geophysics, vol. 54, no. 1, pp. 76-81, January 1989.
B13	Green, D.H., and Wang, H.F., "Fluid Pressure Response to Undrained Compression in Saturated Sedimentary Rock", Geophysics, vol., 51, no. 4, pp. 948-956, April 1986.

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

mber (Optional) Application Number 2000.010 09/973.529 INFORMATION ! SCLOSURE CITATION Hans Thomann, et al. (Us overal sheets if necessary) JAN 2 9 2002 & Filing Date Group Art Unit 10/9/01 QSAER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Hull De-hua, Nur, A., and Morgan, D., "Effects of Porosity and Clay Content on Wave Velocities in Sandstones", Geophysics, vol. 51, no. 11, pp. 2093-2107, November 1986. Jones, T.D., "Pore Fluids and Frequency-Dependent Wave Propagation in Rocks", B15 Geophysics, vol. 51, no. 10, pp. 1939-1953, October 1986. Jones, T.D., and Nur, A., "Velocity and Attenuation in Sandstone at Elevated Temperatures B16 and Pressures", Geophysical Research Letters, vol. 10, no. 2, pp. 140-143, February 1983. Lucet, N., and Zinszner, B., "Effects of Heterogeneities and Anisotropy on Sonic and **B17** Ultrasonic Attenuation in Rocks", Geophysics, vol. 47, no. 8, pp. 1018-2026, August 1992. Lucet, N., Rasolofosaon, P.N.J., and Zinszner, B., "Sonic Properties of Rocks Under B18 Confining Pressure Using the Resonant Bar Technique", J. Acoust. Soc. Am., vol 89, no. 3, pp. 980-990, March 1991. Mayko, G., and Jizba, D., "The Relation Between Seismic P- and S-wave Velocity B19 Dispersion in Saturated Rocks", Geophysics, vol 59, no. 1, pp. 87-92, January 1994. Menke, W., and Dubendorff, B., "Discriminating Intrinsic and Apparent Attenuation in **B20** Layered Rock", Geophysical Research Letters, vol. 12, no. 10, pp. 721-724, October 1985. Morig, R., and Burkhardt, H., "Experimental Evidence for the Biot-Gardner Theory", B21 Geophysics, vol. 54, no. 4, pp. 524-527, April 1989. Murphy, F., III, "Effects of Partial Water Saturation on Attenuation in Massilon Sandstone **B22** and Vycor Porous Glass", J. Acoust. Soc. Am., vol. 71, no. 6, pp. 1458-1468, June 1982. Tittman, B.R., et al. "Dissipation of Elastic Waves in Fluid Saturated Rocks", Physics and **B23** Chemistry of Porous Media, American Institute of Physics, pp. 131-143, 1984. O'Connell, R. J., and Budiansky, B., "Viscoelastic Properties of Fluid-Saturated Cracked Solids", Journal of Geophysical Research ol. 82, no. 36, pp. 5719-5735, December 10, **B24** 1977. O'Hara, S.G., "Influence of Pressure, Temperature, and Pore Fluid on the Frequency-Dependent Attenuation of Elastic Waves in Berea Sandstone", Physical Review A, vol.32, B25 no. 1, pp.472-488, July 1985. O'Hara, S.G., "Elastic-Wave Attenuation in Fluid-Saturated Berea Sandstone", Geophysics, **B26** vol. 54, no. 6, pp. 785-788, June 1989. Palmer, L.D., and Traviolia, M.L., "Attenuation by Squirt Flowin Undersaturated Gas **B27** Sands", Geophysics, vol. 45, no. 12, pp. 1780-1792, December 1980. Parra, J.O., "The Transversely Isotropic Poroelastic Wave Equation Including the Biot and the Squirt Mechanisms: Theory and Application", Geophysics, vol. 62, no. 1, pp. 309-318, **B28** January-February 1997.

Geophysics, vol. 62, no. 5, pp. 1456-1464, September-October 1997. **EXAMINER**

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Geophysics, vol. 62, no. 4, pp. 1163-1176, July-August 1997.

Prasad, M., and Manghnani, M.H., "Effects of Pore and Differential Pressure on

Dispersion and Frequency-Dependent Intrinic Attenuation in Sedimentary Rocks",

Compressional Wave Velocity and Quality Factor in Berea and Michigan Sandstones",

Sams, M.S., Neep, J.P., Worthington, M.H., and King, M.S., "The Measurement of Velocity

B29

B30

MEDRAMION SCLOSURE CITATION (Use several sheets if necessary)

nber (Optional) 2000.010

09/973,529

Hans Thomann, et al.

Filing Date

10/9/01

Group Art Unit

JAN 2 9 2002 &

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Shoot J.W., Jr., "Bulk and Shear Attenuation in Berea Sandstone: The Effects of Pore B31 Fluids", Journal of Geophysical Research, vol. 84, no. B13, pp. 7521-7523, December 10,

Spencer, J.W., Jr., "Stress Relaxations at Low Frequencies in Fluid-saturated Rocks: Attenuation and Modulus Dispersion", Journal of Geophysical Research, vol. 86, no. B3, pp. B32 1803-1812, March 10, 1981.

Kamata, M., et al, "Drill- bit seismic a service for drilling optimization", SPWLA, 38th **B33** Symposium, June 15-18, 1997. Kamata, M., Underhill, W., Meechan, R., and Nutt, L., "Real-time seismic-while-drilling

B34 offer savings, improves safety", Petrol. Eng. Vol. 70, no. 10, pp. 37-39, October 1997. McMillin, K,"Deepwater generates interesting seismic-while-drilling technology", Offshore, **B35**

pp. 44, 104, March 1999. Meehan, R., et al, "Rekindling interest in seismic while drilling", Oilfield Review, pp. 4-13, **B**36 January 1993.

Meehan, R., Nutt, L., Dutta, N., and Menzies, J., "Seismic information helps predict drilling **B37** hazards, choose chasing point", Oil and Gas Journal, pp. 53-60, May 11, 1998.

Nutt, L., "Drill bit seismic improves drilling data", The American Oil & Gas Reporter, pp. **B38** 57-62, November 1997. Poletto, F., et al, "Seismic while drilling using PDC signals – SEISBIT experience and

perspectives", EAGE 59th Conference and Technical Exhibition, Geneva, Switzerland, May **B39** 26-30, 1997. Ramaswamy, M., and Ioup, G.E., "Autocorrelation estimation using constrained iterative

B40 spectral deconvolution", Geophysiics, vol. 54, no. 3, pp. 381-391, March 1989. Rector, J.W., III, "Drill string wave modes prodused by a working drill bit", 62nd Ann. Int. B41

Mtg. SEC, Expanded Absracts, pp. 155-158, 1992 Rector, J.W., III and Hardage, B.A., "Radiation pattern and seismic waves generated by a **B42** rollercone drill bit", Geophysics, vol. 57, no. 10, pp. \\319-1333, October 1992.

Rector, J.W., III, and Marion, B.P., "The use of drill-bit energy as a downhole seismic B43 source", Geophysics, vol. 56, no. 5, pp. 628-634, May 1991,

Rector, J.W., III, Marion, B.P., and Hardage, R.A., "The use of an active drill bit for inverse VSP measurements", 7th ASEG Conference and Exhibition, vol. 20, pp. 343-346, September 24-29, 1989. Rector, J.W., Marion, B.P., and Widow, B., "Use of drill bit energy as a downhole seismic

B45 source", 58th Ann. Int. Mtg. Of SEG, Expanded Abstracts, pp. 161-164, 1988. Tittmann, B.R., Nadler, H., Clark, V.A., and Ahlberg, L.A., "Frequency dependence of seismic dissipation in saturated rock", Journal of Geophysical Research Letters, vol. 8, no. 1, **B46**

pp. 36-38, January 1981. Todd, T., and Simmons, G., "Effect of pore pressure on the velocity of compressional waves in low-porosity rocks", Journal of Geophysical Research, vol. 77, no. 20, pp. 3731-3743, July 10, 1972.

XAMINER

B47

DATE CONSIDERED

XAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in nformance and not considered. Include copy of this form with next communication to applicant.

CLOSURE CITATION (Use Everal sheets if necessary)

imber (Optional) 2000.010 Application Number 09/973,529

Hans Thomann, et al.

		JAN 2 9 2002 &	Filing Date 10/9/01	Group Art Unit		
= 	P.	OTHER DOCUMENTS (Including Author, Title, Date, Per	rtinent Pages, Etc.)			
		Tutulicu, A.N., Podio, A.L., and Sharma, M.M., "Nonling"	near viscoelastic beh	avior of		
	B48	sedimentary rocks, Part II: Hysteresis effects and influence moduli", Geophysics, vol. 63, no. 1, pp. 195-203, Janua	nce of type of fluid o rv-February 1998.	n elastic		
		Tutuncu, A.N., Podio, A.L., Gregory, A.R., and Sharma	, M.M., "Nonlinear v	viscoelastic		
	B 49	behavior of sedimentary rocks, Part I: Effect of frequence	cy and strain amplitu	de", Geophysics,		
	$\overline{}$	vol. 63, no. 1, pp. 184-194, January-February 1998.		1 1.4 #		
	B50	Vo-thanh, D., "Effects of fluid viscosity on shear-wave	attenuation in satural	ed sandstones",		
		Geophysics, vol. 55, no. 6, pp. 712-722, June 1990. White, J.E., "Biot-Gardener theory of extensional waves	s in porous rods" Ge	onhysics vol 51		
	B51	no. 3, pp. 742-745, March 1986.				
	B52	Winkler, K.W., "Frequency dependent ultrasonic proper	rties of high-porosity	sandstones"		
		Journal of Geophysical Research, vol. 88, no. B11, pp. 9	9493-9499, November	er 10, 1983.		
	B53	Winkler, K.W., "Dispersion analysis of velocity and attended of Geophysical Research, vol. 90, #B8, pp. 6793-6800,		idstolles, journal		
		Winkler, K.W., and Nur, A., "Seismic attenuation: effect		frictional		
	B54	sliding", Geophysics, vol. 47#1, pp. 1-15, January 1982				
	D.5.5	Aleotti, L., et al, 1994, Impact of drill-bit seismic meth	od on explorative we	ells", EAGE-56 th		
	B55	Meeting and Technical Exhibition., Vienna, Austria, June 6-10, 1994.				
	B56	Aleotti, L., et al, "SEISBIT-Latest applications of seism	ic while drilling tech	nology", 57 th		
EAGE Conference and Technical Exhibition, May 29—June 2, 1995.				1 1 1		
	B57	Aleotti, L., et al, "Seismic while-dailing technology: us				
		source in a cross-hole survey", Geophysical Prospecting Bertelli, L., Savini, L., and Martera, M.O., 1997, "While	g, voi. 47, pp. 25-59, Drilling Methodolo	oies_the		
	B58	integration strategy and the impact of E&R activities", E	EAGE 59 th Conference	ce and Technical		
		Exhibition, Geneva, Switzerland, May 26–30, 1297.		,		
		Borland, W.H., et al, "Drill bit seismic, vertical seismic	profiling, and seism	c depth		
	B59	imagining to aid drilling decisions in the Tho Tinh struc				
		95 th Society of Exploration Geophysicists of Japan, Xyo	oto; October 23, 1996	j		
		Borland, W.H. and Drew, J, "Drilling Hazard Risk Red				
	B60	Drill Bit Seismic Data", IADC Well Control Conference	/10	Region,		
		Singapore, December 4-5, 1997. Jackson, M., and Einchcomb, C., "Seismic While Drilling Drill	ng: Operational Expe	riences in		
	B61	Vietnam", World Oil, pp. 50, 53, March 1997.	ng. Operational Expe	Archees in		
	D(2	Williams, D.M., et al, 1984, "The Long Spaced Acousti	c Logging tool", SPV	WLA 25 th Annual		
	B62	Logging Symposium, June 10-13, 1994.				
		Dickinson, George, "Geological Aspects of Abnormal F				
	B63	Louisiana", Bulletin of the American Assoc. of Petroleu	im Geologists, Vol. 3	, /, No. 2, pp.		
		410-432, February 1953. Payne, Michael A., "Looking Ahead with Vertical Seisr	nic Profiles" George	veine Vol 50		
	B64	No. 8, pp. 1182-1191, August 1994.	me riomes, deopn	y 5105, Y 01. 33,		

EXAMINER	DATE CONSIDERED
TOTAL STATES A SECTION OF THE SECTIO	

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-A820 (also form PTO-1449) Copyright 1994-97 LegalStar

PO9A/REV03

Patent and Trademark Office* U.S. Department of Commerce SHEET 5 OF 6

			· · · · · · · · · · · · · · · · · · ·		
***		IPA	(umber (Optional)) M 2000.010	Application Number 09/686,735	
•	T	OFORMATION SCLOSURE CITATION (Use Overal sheets if necessary)	Applicants Hans Thomann, et al.		
	Ι.	AN 2 9 2002 &	Filing Date	Group Art Unit	
		AN Z 9 Zuuz 80	10/10/01		
	PER	OSTIER DOCUMENTS (Including Author, Title, Date, Per			
2	B65	Macpherson, J.D., Jogi, P., and Kingman, J.E., "Applica Near Bit and Surface Dynamics", IADC/SPE 39397, pp	ation and Analysis of . 857-869, March 3-6	Simultaneous 5, 1998.	
		Shuttleworth, N.E., van Kerkoerle, E.J., Folmer, D.R., a			
	B66	Practices, VSS-MWD Tool Successfully Addresses Cat			
	000		astropine Bir Birnstr	ing violations,	
		IADC/SPE 39314, pp. 925-933, March 3-6, 1998.	10:0:	11.	
	B67	Meehan, R.J., Nutt, L., Dutta, N., and Menzies, J., "Dril		lling	
	Dor	Optimization Tool", IADC/SPE 39312, pp. 177-190, Ma			
		Heisig, G., Sanco, J., and Macpherson, J.D., "Downhole	Diagnosis of Drillin	ng Dynamics	
	B68	Data Provides New Level Drilling Process Control to Driller", SPE 49206, pp. 649-658,			
		September 27-30, 1998.		•	
		Borland, W., et al., 1997, "Real-time Answers to Well I	Drilling and Design C	Duestions",	
	B69	Oilfield Review, Summer 1997, pp. 2-15.			
				<u> </u>	
		1		<u> </u>	
		(
		× 1			
-					
		P.			
-			_		
				\	
)	

EXAMINER	-	DATI	E CONSIDERED			
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in						
conformance and not considered. Include copy of this form with next communication to applicant.						
FORM PTO-A820	Copyright 1994-97 LegalStar	PO9A/REV03	Patent and Trademark Office* U.S. Department of Commerce			

FORM PTO-A820 (also form PTO-1449)

Patent and Trademark Office* U.S. Department of Commerce

SHEET 6 OF 6